



Label Gallery Version 3.2

Release Notes

Rev SI-20100314

Table of Contents

What is New in General	5
General New Enhancements	5
Unicode support in the Autorun Application.....	5
Native Support for MySQL Databases.....	5
Reprint Improvements.....	6
GalleryPrintQueue Shows All Printer Statuses.....	6
Label Gallery/GalleryDrivers Performance Update (3.2.1)	6
Support for Brazilian Portuguese and Turkish languages (3.2.1)	7
Updated Clipart Gallery (3.2.1)	7
Added Herma Stocks (3.2.2).....	7
What is New in Label Gallery Plus.....	8
RFID Enhancements	8
Support for RFID Tag Locking / Unlocking	8
Label Printing Optimizations.....	9
Navigation in the Print Preview	9
Fine-tuning the Printing Position (3.2.2).....	9
Improved Design Possibilities	10
Curved Text.....	10
Updated Store/Recall Printing Mode with Preview Stream.....	11
Support for Guidelines	12
Support for Diagonal Lines.....	13
ASC (FACT) Update	13
Updated GS1 DataBar support (3.2.2).....	13
Support for GS1 DataMatrix (3.2.2)	13
Support for Intelligent Mail Bar codes (3.2.2).....	14
Update in HIBC Support (3.2.2)	14
Ability to Import/Export Label Variables from/to an External File.....	15
Useful Smaller Enhancements.....	16
No Limit for the Number of Installed Printer Drivers	16
Copy Button in the Error Dialog Box (to Copy Error Messages to Clipboard)	16
Support for Quick Creation of a New Empty Label	16
Variable Height Option for the Rich Text Box object (3.2.2)	17
What is New in Label Gallery TruePro	18
GalleryForm.....	18
TWAIN Support (Images from Webcams and Scanners)	18
New Action: Send Data to the Serial Port.....	19
Updated Action: Browse for File or Folder	19
Support for the Events on the Object.....	20
Support for the Events on the Variables	21
Button Group (3.2.2)	22
Word-wrap for Buttons (3.2.2).....	22
Filter to Show Only the Required Variables in the Variable Prompt Object (3.2.2)	22
Action Encryption When Locking the Form.....	23
GalleryWatch.....	24

Processing the Triggers that Appeared While GalleryWatch was Offline.....	24
Trigger Print Preview.....	25
New Action: Send Data to the Serial Port.....	25
Ignore Failures in the Trigger Data	25
Export Trigger to File / Import from File	26
Manual Execution of the Trigger	26
Action Encryption when Locking the Trigger Configuration	26
Encrypted Email Password	26
Improved Text Database Filter.....	27

What is New in General

General New Enhancements

Unicode support in the Autorun Application

The Autorun startup application that is used for Label Gallery CD navigation now speaks Unicode. The Autorun application could already detect the system language set in the Windows regional settings, and displayed the menu in the corresponding language.

With the new version you can also see how the menus are displayed in other languages, even if you do not have your system regional settings defined for that language. For example, you can start the Autorun in Chinese or Thai language, while the regional settings are set to English. The application accepts three letter language abbreviations as the command-line parameter, like START.EXE GER (to start CD navigation in German language).

Native Support for MySQL Databases

Native support was added for MySQL databases. It provides faster access to MySQL and enhanced communication with MySQL Server. You do not have to work with the OLE DB drivers, but can connect direct to the MySQL server.




Figure 1: Native support for MySQL databases

Native MySQL access is present in all modules that can work with MySQL databases (Label Gallery Plus, GalleryData, GalleryForm, and GalleryWatch).

Reprint Improvements

The Reprint dialog box provides additional information, which is useful when you need to reprint the labels to some other printer, not the original printer that was used for the initial printout.




Figure 2: The reprint dialog box with more label-related details

You can choose to view the label preview, or you can choose to see the label structural information. One useful piece of the information is the label size, so you can make sure the substitute printer has inserted the label material of the same dimensions.

GalleryPrintQueue Shows All Printer Statuses

The printer status display in GalleryPrintQueue is not limited to error situations any more. New GalleryPrintQueue can show all information coming from the bidirectional printer. This feature will increase the status control you have over your label printer.

Label Gallery/GalleryDrivers Performance Update (3.2.1)

Due to the internal code optimizations in Label Gallery software and GalleryDrivers the labels get printed up to 30% faster, compared to the previous versions.

If the label printing speed is important for you, upgrade your installation to the latest version of Label Gallery and GalleryDrivers.

Support for Brazilian Portuguese and Turkish languages (3.2.1)

Label Gallery software now speaks Brazilian Portuguese and Turkish languages. Label Gallery users from these regions can now enjoy label design and printing in their native languages.

Updated Clipart Gallery (3.2.1)

Clipart Gallery was enhanced with many new galleries for recycling, RFID Emblem and GHS (new standard for chemical labels) standards. All together there are over 200 new cliparts, all available in scalable vector format so you can resize the cliparts without quality loss.

Added Herma Stocks (3.2.2)

Label Gallery Dynamic now has support for label stocks from the label manufacturer Herma. If you are using Herma labels, you can quickly create your label template based on any of the 700 supported Herma formats.

What is New in Label Gallery Plus

RFID Enhancements

Support for RFID Tag Locking / Unlocking

RFID functionality is expanded with new options for tag locking and unlocking. Some GEN2 tags have advanced locking/unlocking capabilities. You can lock the tag and thus prevent subsequent updates to it. The locking can be permanent, or you can allow the lock to be lifted, the tag updated and then locked again.

The supported locking abilities are defined by the tag's built-in capabilities.




Figure 1: New option for tag locking and unlocking

Label Printing Optimizations

Navigation in the Print Preview

With Label Gallery software you can already enjoy the useful ability to preview the printing of your labels on-screen. There is no need to waste the label material, you can see how the labels would print out.

The new feature allows you to scroll through all the labels in the batch you want to print. The navigation toolbar has been enhanced with the **Previous** button. Now you can easily move the focus from preview of one label to the preview of another label.




Figure 2: Navigation toolbar enhanced with Previous button

Fine-tuning the Printing Position (3.2.2)

When printing labels, the printout might be positioned slightly different from one printer to another. This behavior is due to the small differences in hardware as head mounting. The solution is always available by changing the margins and offsets in the label design and/or printer driver.

The real-time limitation is frequently lack of label design skills, or changing the label design or driver properties is simply not an option. To accommodate this need, the new commands for adjusting the offset in X and Y directions are available to be used in JOB command files or in actions with Execute Macro: SETPRINTPARAM PRINTINGOFFSETX and SETPRINTPARAM PRINTINGOFFSETY.

You can easily adjust the position of the label objects with 1-pixel accuracy.

Improved Design Possibilities

Curved Text

With new support for the curved text you can design labels with the text that follows the shape of the defined ellipse. Naturally, you can define text object with variable contents.




Figure 3: Fit text to the curve you have designed

You are free to design the contour of the ellipse object. You can freely move it on the label, stretch it, resize it, all just with a simple move of a mouse. Furthermore, you can define how the text will fit to the curve and how it will be aligned relatively to the curve.

Updated Store/Recall Printing Mode with Preview Stream

Label Gallery Plus already provides support for the generation of the optimized print job file. In one of the previous versions you got an easy access to the fast label printing using store/recall functionality. The print file was generated to be stored in the memory of the label printer and then recalled at print-time.




Figure 4: Analyze the data stream (*.PRN) that is sent to the printer for 'label store' and for 'label recall'

This feature provided a huge improvement in responsiveness for integrated label printing. Now you can create the print file in the same way, plus you get an overview of the data that is actually sent to the printer. You can review the structure of the 'store' and of the 'recall' print file.

You can use this feature to learn how to create the optimized print file.

Support for Guidelines

The label designer now integrates the support for guidelines. Guidelines help you design a label based on the specifications coming from some encoding standard. When designing compliance labels, you must make sure the objects are placed on the label on the correct spot and that they are aligned correctly.




Figure 5: Guidelines help you align objects on the label

Guidelines are a design helper in Label Gallery Plus, which allow you to create compliance labels. You can use the guidelines to adjust the placement of objects as the guidelines provide you with the snap-to-guidelines feature. Whenever you move an object close to the guideline, the object will be dragged to the exact position of the guideline, making object alignment easier.

You can use horizontal and vertical guidelines. As a shortcut, you can simply drag them onto the label from the rulers. The guidelines are saved with the label, so each label – wherever you open it – will display the same guidelines that were used during the label design.

Support for Diagonal Lines

Label Gallery Plus supports the drawing of diagonal lines. You can still use the horizontal and vertical lines as before, but now you also benefit from the diagonal lines.




Figure 6: You can draw diagonal lines on your label

The diagonal lines can be drawn at any angle and can use any width.

ASC (FACT) Update

The data-encoding standard ASC (FACT) was updated with new identifiers, updated existing identifiers, and bar code names.

Updated GS1 DataBar support (3.2.2)

GS1 DataBar symbols can carry more information and identify small items than the current EAN/UPC bar code. It enables GTIN identification for fresh variable measure and hard-to-mark products and can carry GS1 Application Identifiers.

All GS1 DataBar bar code variants are now supported, including the GS1 DataBar Expanded Stacked. In addition to encoding Application Identifier (01) GTIN, GS1 DataBar Expanded and GS1 DataBar Expanded Stacked can encode additional GS1 Application Identifiers such as serial number, sell-by-date, expiration date, weight and lot number.

With the new update in Label Gallery software you can easily participate in the GS1 DataBar adoption.

Support for GS1 DataMatrix (3.2.2)

GS1 DataMatrix has been incorporated by GS1 as the standard data carrier alongside the existing GS1 endorsed linear bar codes.

This is a 2-dimensional data matrix symbology enabling the requirements of coding more information, while maintaining a small size; technologies are available for direct part marking and allows error correction to circumvent some degree of physical damage.

The symbology is based on the DataMatrix 2D bar code and supports encoding of GS1-defined structure of the Application Identifiers.

Support for Intelligent Mail Bar codes (3.2.2)

The Intelligent Mail bar code (formerly known as the 4-State Customer Barcode) is the next generation of US Postal Service bar code technology used to sort and track letters and flats. The bar code will replace the existing postal bar code and will help improve deliverability and increase overall efficiency.

The new symbology has various formats and has been referred to with many names (OneCode, IMB and 4-State Bar code). It has also been adopted by several post services.

The new Label Gallery update introduces support for American and Australian variants of the new mail bar code.



Figure 7: Intelligent Mail Bar Codes – 4-state bar code

Update in HIBC Support (3.2.2)

The HIBC (Health Industry Bar Code) support in Label Gallery has been expanded with the new features from HIBC standard version 2.3. This bar code standard defines the data structure for labeling health care products. Label Gallery introduces new contents provider for the latest HIBC support.


For the list of changes in HIBC version 2.3, visit the Health Industry Business Communication Council's Web site at <http://www.hibcc.org> and download the new HIBC Supplier Labeling Standard (PDF).

Ability to Import/Export Label Variables from/to an External File


You can import Label Gallery variables from an external file with the variable definition (*.LVR). This feature makes life easier for label designers that always work with the same set of variables on the label. Now the variable creation could hardly be any easier, you simply browse for the file which contains the variables, and import the variables.

Note: Label Gallery already had support for the variables coming from the Oracle WMS-formatted XML files. The new support enhances the existing functionality.

Export variables to LVR file



Import variables from LVR file



Useful Smaller Enhancements

No Limit for the Number of Installed Printer Drivers

Label Gallery software has no limits regarding the number of printer drivers installed in your Windows operating systems. You can have as many printer drivers installed as you want, Label Gallery will see them all and be able to use them all.

Copy Button in the Error Dialog Box (to Copy Error Messages to Clipboard)

Whenever Label Gallery displays an error message of any sort, there is a 'Copy' button available in the dialog box. You can click the button and copy the entire error message text to the Clipboard. This feature makes it easier to work with the error message as text (send it further to colleagues or support team, etc.)



Support for Quick Creation of a New Empty Label

There is a new keyboard shortcut available for quick creation of the empty label.

When you press the shortcut combination Ctrl+Shift+N, a new label is created without launching the Label Setup Wizard, even if the user interface is configured to automatically launch the wizard.

The label is created for the current default printer, and the label size is set as defined in the printer driver settings.

Variable Height Option for the Rich Text Box object (3.2.2)

The Rich Text Box object in Label Gallery is updated with the new option of Variable height. It helps you handle the variable amounts of data that you receive for this object. The Rich Text Box object could already adapt to the incoming data by changing the font size in order to fit data into the designed frame. That option is known as “Best fit”.

The Variable height introduces another functionality to adapt to the unknown quantity of incoming data. Instead of changing the font size and keeping the object size alone as Best fit does, it will adjust the object’s height according to the data contents. More data will increase the object size; less data will make the object smaller.

For labeling in the textile industry it is often crucial to print one object after another. Variable height could cause the object to extend too much and expand other objects. As a solution, you can enable relative object positioning (an option available for each object) and let Label Gallery redistribute objects to avoid overlapping.

Features:
Comfortable to wear
Various sizes and colors are available
OEM orders are accepted
Fabric: cotton, 260gsm
Technics: knitted
Payment: T/T and L/C.

Features:
Front zipper with internal stomflap
Zippered napoleon pocket
Two zippered handwarmer pockets; one doubles as a stuff sack
Stretch binding at hem and cuffs

Materials:
650+ fill down insulation
Ultralight 20D recycled ripstop polyester shell; 25D ripstop polyester lining
Brushed tricot-lined collar

Weight:
14.7 oz. / 415 g

What is New in Label Gallery TruePro

The Label Gallery TruePro edition includes all of the new features from the Label Gallery Plus edition and the additional Suite-specific features.

GalleryForm

TWAIN Support (Images from Webcams and Scanners)

GalleryForm introduces the support for acquiring images from any available TWAIN source. The TWAIN sources are graphical devices that provide an image, like Webcams, scanners and similar devices. TWAIN is simply a communication protocol that makes GalleryForm understand the data coming from the graphical devices.

PatientID	Name	Ward	AdmDate	DOB	Blk	MRN	Picture
P111111	SONOCO	C12	11/09/2004	25/12/1977	2	234567	c:\picture\P111111.jpg
P111111	NANCY	88	1/1/2004	1/1/2004	443	112233	c:\picture\default.jpg
P11223	NANCY	C77	10/10/2004	12/12/2004	5	112233	c:\picture\P11223.jpg
P123232	KUMA	11	10/11/1111	12/12/1200	123	121334	c:\picture\P123232.jpg
P132133	CRISTINA	F	10/12/2004	10/12/2004	122	2231233	c:\picture\P132133.jpg

PatientID: P111111
Name: SONOCO
Date of Birth: 25/12/1977
MRN No: 234567
Admission Date: 11/09/2004
Block: 2
Ward: C12


QTY 1

Figure 8: Get the image from the camera and use it for identification

Support for Webcams makes it possible for GalleryForm to provide a solution to front-desk and health-care requirements, where you need to register the person/patient, and print out the ID tag that includes the person's photo.

New Action: Send Data to the Serial Port


With this new action you can send the data to a device connected to the available serial (COM) port. You can send the fixed data, or you can send the contents of any variable over to the device.



Updated Action: Browse for File or Folder

With the updated action you can easily allow the user to browse for data in different folders on the local disk or network neighborhood. GalleryForm already had the action to browse for file, so the user could already select a file. For advanced use now you can browse for the folder as well.

The user can select some folder and later use this folder elsewhere on the form (with other actions or form objects).



Support for the Events on the Object

The new GalleryForm offers a powerful feature for some of the objects to execute actions whenever some event occurs for this object. The types of the supported events are:

- OnFocus – the actions execute when this object is selected (becomes active)
- OnExit – the actions execute when the object is no longer selected (active)
- OnChange / OnClick – the actions execute when the object's value changes

Each time such event occurs, the pre-defined actions will start. The actions for these events are defined following exactly the same steps as defining actions for the button.




Figure 9: A change in focus or change in object's value can execute actions

Until now the only way to execute actions was when the form started/closed (OnLoad/OnClose events) and with click on the buttons. This new feature gives a tremendous power to the GalleryForm users that need to execute actions automatically.

Support for the Events on the Variables

For each variable you can define a set of actions that execute whenever the variable changes the value. Again, as for the support for the events on the objects, this new feature gives a great flexibility and power to the GalleryForm users that need more control over the actions within the forms.




Figure 10: When the variable changes a value, predefined actions can execute

Button Group (3.2.2)

The object Button Group allows the user to define button-selection group. The feature is based on the regular button object, but enhances it with new possibilities. The Button Group is a variable object allowing you to define the number of buttons on-the-fly.

For example: each button within the Button Group can get the value from the database field. As many records you have in the database that many buttons will display in the group. GalleryForm tracks which button has been clicked and uses appropriate parameters to execute the correct actions. Each button can execute different actions.

Or, the button group displays the available printer drivers. Click on each button will print label to the associated printer.




Figure 11: Button group automatically adjust button size for more records

The new feature enables building of variable GalleryForm applications not even possible before.

Word-wrap for Buttons (3.2.2)

The text on the button is no longer limited to single line-only. Coming with the latest release GalleryForm supports word wrapping on the button. If you enter too much text to be displayed in one line, the text will be automatically broken into as many lines as necessary to see it all.

Filter to Show Only the Required Variables in the Variable Prompt Object (3.2.2)

The object Variable Prompt displays the variable fields from the connected label. It adapts to each opened label so it is very useful in creating the forms to print multiple label templates, not just one.

By default the object displays all variable fields found in the label. With the new feature you can display only the variable fields you want to display.

Action Encryption When Locking the Form

GalleryForm is a flexible printing-application generator. The form designers often put a lot of their knowledge into their solutions. Because of GalleryForm's flexibility and support for Visual Basic scripting that really widens the scope of designed solutions it becomes important to protect the VB script source code from unauthorized eyes.

When you put a lot of effort into the form application and enhance the usability with VB scripts you will welcome the new feature of source code encryption. When you lock your form, the VB script source code is mangled and becomes unreadable.

Distributing the VB script-enhanced GalleryForm applications is now trouble-free. Your intellectual work is protected; unauthorized access to the source code is not permitted.

GalleryWatch

Graphic Display of Print Thread Activity

GalleryWatch is the middleware integration module from the Label Gallery TruePro edition. GalleryWatch allows you to add label-printing functionality to an existing system which currently lacks a printing functionality. The GalleryWatch included in the Standard Series does the job with one print engine that handles all the incoming data traffic and prints out labels to different printers.

Because of the singular print engine, you can experience a bottleneck in case of high-throughput printing demands.




Figure 12: See the number of jobs waiting in GalleryWatch internal queue

The new feature will show all activities coming through this single print engine. You can monitor the number of print jobs processed in a given time frame and see how GalleryWatch behaves under different circumstances.

If the number of print jobs waiting in the queue list does not begin to drop, you're putting too much stress on the print engine.

Processing the Triggers that Appeared While GalleryWatch was Offline

Traditionally, GalleryWatch triggers monitor the defined events when the GalleryWatch server is running. All events that took place while the GalleryWatch server was offline (paused, or otherwise inactive) were ignored and not processed.

For file triggers, a new functionality is available, which allows you to execute actions based on all modified files in the monitored folder. Whenever a file changes while GalleryWatch was offline, it will still be processed and the appropriate actions will be executed the next time GalleryWatch is active.

Trigger Print Preview

GalleryWatch enables the user to perform a print preview, which displays the preview of the label print job. For example, if you work with file trigger, you can browse for the sample trigger file and preview the label printing on screen.

You will see all the labels in the print job (preview on-screen), values of all variables and the GalleryWatch log file (as usually seen in the log pane).




Figure 7: You can preview the result of any trigger in a window

Trigger print preview is a great feature whenever you want to test your trigger settings and action definition. You can see the labels on-screen as they would be printed. In case of any problems, you will be alerted and will see error description on the log section.

New Action: Send Data to the Serial Port

With this new action you can send the data to a device connected to the available serial (COM) port. You can send the fixed data, or you can send the contents of any variable over to the device.

Ignore Failures in the Trigger Data

Whenever an error is detected in the incoming trigger data, GalleryWatch will report an error and stop executing the actions, even if the remainder of the actions is OK. The error message is shown in the log pane, and alternatively, you can enable the Error Event and store the data in a backup location for analysis at a later time.

There is a new feature available in GalleryWatch when processing the trigger data. If there is any problem with the data (for example, incorrect label name is provided, a non-existent printer is used, the label variable value is too long etc.), GalleryWatch can ignore just this single erroneous job and continue with the next one.

The new feature is very useful in cases, when you do not want the remainder of the data to be ignored. This is usual in cases of text files, where each row provides data for one label printing action.

Export Trigger to File / Import from File

When defining triggers in GalleryWatch, you already had a possibility to copy/paste triggers. The new version goes one step beyond and allows you to export the trigger definition to the XML file, move it to some other computer with GalleryWatch and import the definition there.

Trigger-based copying from one GalleryWatch server to another is now possible without any hassle.

Manual Execution of the Trigger

Whenever you design your trigger in GalleryWatch you can now execute the trigger with a single click with a mouse. This is a great shortcut for testing the integrity of your trigger definition and its actions.

You do not have to wait until the next time interval the files are checked (if you are using a file trigger), you can just click and execute the trigger right away.




Figure 14: You can execute the trigger at any time and test its behavior without waiting for the event to occur

There is also a more complex version of this new feature. Alternatively, you can point to some other text file that provides the data for the trigger (not the original monitored file).

GalleryWatch will execute the trigger and use the data from the selected file as if the original trigger just received a new data. This testing ability is available for all trigger types, not just the file trigger.

Action Encryption when Locking the Trigger Configuration

GalleryWatch is a flexible middleware integration module. The integrators often put a lot of their knowledge to their solutions. Because of the flexibility of GalleryWatch and support for Visual Basic scripting that really widens the scope of designed solutions it becomes important to protect the VB script source code from unauthorized eyes.

When you put a lot of effort into the form application and enhance the usability with VB scripts you will welcome the new feature of source code encryption. When you lock your form, the VB script source code is mangled and becomes unreadable.

Distributing the VB script-enhanced GalleryWatch triggers is now trouble-free. Your intellectual work is protected; unauthorized access to the source code is not permitted.

Encrypted Email Password

When you define email triggers, you must also enter the password to access the defined email mailbox. The password is encrypted and not stored as plain text anymore.

Improved Text Database Filter

You use the text database filter whenever the incoming trigger data is formatted in a text database-like structure (like CVS files with delimiters between the field values, or data files with columns of fixed width). The filter can map the data fields with label variables, creating a link between data and label template.

The text database filter has been enhanced to understand different end-of-line terminology. In DOS and Windows the end-of-line is formatted with CR/LF characters (Carriage Return/Line Feed). The filter also understands the text files formatted on Unix/Linux systems (LF only) or Mac computers (CR only).